

**CHAPTER 33-11-07  
CRITICAL CARE AIR AMBULANCE LICENSE**

Section

33-11-07-01	Training Standards for Care Providers
33-11-07-02	Minimum Equipment Requirements
33-11-07-03	Advertising Restrictions

**33-11-07-01. Training standards for care providers.** Both care providers' training shall be consistent with the definition of specialty care transport in section 33-11-01.2-12.

**History:** Effective January 1, 2006; amended effective April 1, 2009.

**General Authority:** NDCC 23-27-04

**Law Implemented:** NDCC 23-27-04

**33-11-07-02. Minimum equipment requirements.** All equipment required for a basic life support air ambulance as found in section 33-11-05-02 and all equipment required for an advanced life support air ambulance found in section 33-11-06-02 plus the following equipment must be available at the base station:

1. Ventilator.
2. Intravenous infusion pumps.
3. Any specialized equipment ordered by a physician.

**History:** Effective January 1, 2006.

**General Authority:** NDCC 23-27-04

**Law Implemented:** NDCC 23-27-04

**33-11-07-03. Advertising restrictions.** No air ambulance service may advertise itself as a critical care air ambulance service unless it has been issued a critical care air ambulance license by the department.

**History:** Effective January 1, 2006.

**General Authority:** NDCC 23-27-04

**Law Implemented:** NDCC 23-27-04