

**SECOND ENGROSSMENT  
with Senate Amendments**

Sixty-first  
Legislative Assembly  
of North Dakota

**REENGROSSED HOUSE BILL NO. 1368**

Introduced by

Representatives Kroeber, Glassheim, Hofstad, Nelson

Senators Lyson, Robinson

1 A BILL for an Act to create and enact chapter 18-13 of the North Dakota Century Code, relating  
2 to reduced ignition propensity standards for cigarettes; to provide an effective date; and to  
3 provide an expiration date.

4 **BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:**

5 **SECTION 1.** Chapter 18-13 of the North Dakota Century Code is created and enacted  
6 as follows:

7 **18-13-01. Definitions.** In this chapter, unless the context otherwise requires:

- 8 1. "Agent" means any person authorized by the attorney general to purchase or sell  
9 packages of cigarettes.
- 10 2. "Cigarette" means any roll for smoking made wholly or in part of tobacco and  
11 encased in any material except tobacco.
- 12 3. "Manufacturer" means:
- 13 a. Any person that manufactures or otherwise produces cigarettes or causes  
14 cigarettes to be manufactured or produced which the person intends to be  
15 sold in this state, including cigarettes intended to be sold in the United States  
16 through an importer;
- 17 b. The first purchaser that intends to resell in the United States cigarettes  
18 manufactured that the original manufacturer or maker does not intend to be  
19 sold in the United States; or
- 20 c. Any person that becomes a successor of a person described in subdivision a  
21 or b.
- 22 4. "Quality control and quality assurance program" means the laboratory procedures  
23 implemented to ensure that operator bias, systematic and nonsystematic  
24 methodological errors, and equipment-related problems do not affect the results of

1           the testing and to ensure that the testing repeatability remains within the required  
2           repeatability values stated in subdivision f of subsection 1 of section 18-13-02 for  
3           all test trials used to certify cigarettes in accordance with this chapter.

4           5. "Repeatability" means the range of values within which the repeat results of  
5           cigarette test trials from a single laboratory will fall ninety-five percent of the time.

6           6. "Retail dealer" means any person, other than a manufacturer or wholesale dealer,  
7           engaged in selling cigarettes or tobacco products.

8           7. "Sale" means any transfer of title or possession or both, exchange or barter,  
9           conditional or otherwise, in any manner or by any means or any agreement to do  
10           the same. The term includes the giving of cigarettes as samples, prizes, or gifts,  
11           and the exchanging of cigarettes for any consideration other than money.

12           8. "Sell" means to sell or to offer or agree to sell.

13           9. "Wholesale dealer" means any person that sells cigarettes or tobacco products to  
14           retail dealers or other persons for purposes of resale, and any person that owns,  
15           operates, or maintains a cigarette or tobacco product vending machine in, at, or  
16           upon premises owned or occupied by any other person.

17           **18-13-02. Test method and performance standard - Seizure.**

18           1. Except as provided in subsection 7, a cigarette may not be sold or offered for sale  
19           in this state or offered for sale or sold to persons located in this state unless the  
20           cigarette has been tested in accordance with the test method and meets the  
21           performance standard specified in this section, a written certification has been filed  
22           by the manufacturer with the state fire marshal in accordance with section  
23           18-13-03, and the cigarette has been marked in accordance with section 18-13-04.

24           a. Testing of cigarettes must be conducted in accordance with the American  
25           society of testing and materials standard E2187-04, "standard test method for  
26           measuring the ignition strength of cigarettes".

27           b. Testing must be conducted on ten layers of filter paper.

28           c. No more than twenty-five percent of the cigarettes tested in a test trial in  
29           accordance with this section may exhibit full-length burns. Forty replicate  
30           tests must comprise a complete test trial for each cigarette tested.

- 1           d. The performance standard required by this section must be applied only to a  
2           complete test trial.
- 3           e. Written certifications must be based upon testing conducted by a laboratory  
4           that has been accredited pursuant to standard ISO/IEC 17025 of the  
5           international organization for standardization, or other comparable  
6           accreditation standard required by the state fire marshal.
- 7           f. A laboratory conducting testing in accordance with this section shall  
8           implement a quality control and quality assurance program that includes a  
9           procedure that will determine the repeatability of the testing results. The  
10          repeatability value may not be greater than nineteen hundredths.
- 11          g. This section does not require additional testing if cigarettes are tested  
12          consistent with this chapter for any other purpose.
- 13          h. Testing performed or sponsored by the state fire marshal to determine a  
14          cigarette's compliance with the performance standard required must be  
15          conducted in accordance with this section.
- 16          2. Each cigarette listed in a certification submitted pursuant to section 18-13-03 which  
17          uses lowered permeability bands in the cigarette paper to achieve compliance with  
18          the performance standard set forth in this section must have at least two nominally  
19          identical bands on the paper surrounding the tobacco column. At least one  
20          complete band must be located at least fifteen millimeters from the lighting end of  
21          the cigarette. For cigarettes on which the bands are positioned by design, at least  
22          two bands must be located at least fifteen millimeters from the lighting end and ten  
23          millimeters from the filter end of the tobacco column, or ten millimeters from the  
24          labeled end of the tobacco column for nonfiltered cigarettes.
- 25          3. A manufacturer of a cigarette that the state fire marshal determines cannot be  
26          tested in accordance with the test method prescribed in subdivision a of  
27          subsection 1 shall propose a test method and performance standard for the  
28          cigarette to the state fire marshal. Upon approval of the proposed test method and  
29          a determination by the state fire marshal that the performance standard proposed  
30          by the manufacturer is equivalent to the performance standard prescribed in  
31          subdivision c of subsection 1, the manufacturer may employ the test method and

1           performance standard to certify the cigarette pursuant to section 18-13-03. If the  
2           state fire marshal determines that another state has enacted reduced cigarette  
3           ignition propensity standards that include a test method and performance standard  
4           that are the same as those contained in this chapter, and the state fire marshal  
5           finds that the officials responsible for implementing those requirements have  
6           approved the proposed alternative test method and performance standard for a  
7           particular cigarette proposed by a manufacturer as meeting the fire safety  
8           standards of that state's law or regulation under a legal provision comparable to  
9           this section, the state fire marshal shall authorize that manufacturer to employ the  
10           alternative test method and performance standard to certify that cigarette for sale  
11           in this state unless the state fire marshal demonstrates a reasonable basis why the  
12           alternative test should not be accepted under this chapter. All other applicable  
13           requirements of this section apply to the manufacturer.

14           4. Each manufacturer shall maintain copies of the reports of all tests conducted on all  
15           cigarettes offered for sale for a period of three years, and shall make copies of  
16           these reports available to the state fire marshal and the attorney general upon  
17           written request.

18           5. The state fire marshal may adopt a subsequent American society of testing and  
19           materials standard test method for measuring the ignition strength of cigarettes  
20           upon a finding that the subsequent method does not result in a change in the  
21           percentage of full-length burns exhibited by any tested cigarette when compared to  
22           the percentage of full-length burns the same cigarette would exhibit when tested in  
23           accordance with American society of testing and materials standard E2187-04 and  
24           the performance standard in subdivision c of subsection 1.

25           6. The state fire marshal shall review the effectiveness of this section and report each  
26           interim to the legislative council the state fire marshal's findings and any  
27           recommendation for legislation to improve the effectiveness of this chapter.

28           7. The requirements of subsection 1 may not prohibit:

29           a. Wholesale or retail dealers from selling their existing inventory of cigarettes  
30           after July 31, 2010, if the wholesale or retail dealers can establish that the

1                   inventory was purchased before August 1, 2010, in comparable quantity to  
2                   the inventory purchased during the same period of the prior year; or

3                   b. The sale of cigarettes solely for the purpose of consumer testing. For  
4                   purposes of this subsection, "consumer testing" means an assessment of  
5                   cigarettes which is conducted by a manufacturer, or under the control and  
6                   direction of a manufacturer, for the purpose of evaluating consumer  
7                   acceptance of those cigarettes, utilizing only the quantity of cigarettes which  
8                   is reasonably necessary for the assessment.

9                   8. This chapter must be interpreted and construed to effectuate its general purpose to  
10                   make uniform this chapter with the laws of those states that have enacted reduced  
11                   cigarette ignition propensity laws as of the date this chapter is enacted.

12                   9. If any law enforcement personnel or duly authorized representative of the state fire  
13                   marshal discovers any cigarettes for which no certification has been filed as  
14                   required by section 18-13-03, or which have not been marked as required by  
15                   section 18-13-04, that personnel or representative may seize and take possession  
16                   of the cigarettes. Cigarettes seized under this subsection must be destroyed;  
17                   provided, however, that before the destruction of the cigarettes, the true holder of  
18                   the trademark rights in the cigarette brand is permitted to inspect the cigarette.

19                   **18-13-03. Certification and product change.**

20                   1. Each manufacturer shall submit to the state fire marshal a written certification  
21                   attesting that each cigarette listed in the certification has been tested in  
22                   accordance with section 18-13-02 and each cigarette listed in the certification  
23                   meets the performance standard set forth in subdivision c of subsection 1 of  
24                   section 18-13-02.

25                   2. Each cigarette listed in the certification must be described with the following  
26                   information:

27                   a. Brand or trade name on the package;

28                   b. Style, such as light or ultra light;

29                   c. Length in millimeters;

30                   d. Circumference in millimeters;

31                   e. Flavor, such as menthol or chocolate, if applicable;

- 1           f. Filter or nonfilter;
- 2           g. Package description, such as soft pack or box;
- 3           h. Marking approved in accordance with section 18-13-04;
- 4           i. The name, address, and telephone number of the laboratory, if different than  
5           the manufacturer that conducted the test; and
- 6           j. The date that the testing occurred.
- 7        3. The certifications must be made available to the attorney general for purposes  
8        consistent with this chapter and the state tax commissioner for the purposes of  
9        ensuring compliance with this section.
- 10       4. Each cigarette certified under this section must be recertified every three years.
- 11       5. For each cigarette listed in the certification, a manufacturer shall pay to the state  
12       fire marshal an initial fee of one hundred dollars.
- 13       6. There is established in the state treasury a special fund to be known as the  
14       Reduced Cigarette Ignition Propensity and Firefighter Protection Act enforcement  
15       fund. The fund must consist of all certification fees submitted by manufacturers,  
16       and, in addition to any other moneys made available, be available pursuant to  
17       legislative appropriation, to the state fire marshal solely to support processing,  
18       testing, enforcement, and oversight activities under this chapter.
- 19       7. If a manufacturer has certified a cigarette under this section and makes any  
20       change to the cigarette which is likely to alter its compliance with the reduced  
21       cigarette ignition propensity standards required by this chapter, that cigarette may  
22       not be sold or offered for sale in this state until the manufacturer retests the  
23       cigarette in accordance with the testing standards set forth in section 18-13-02 and  
24       maintains records of that retesting as required by section 18-13-02. Any altered  
25       cigarette that does not meet the performance standards set forth in section  
26       18-13-02 may not be sold in this state.

27       **18-13-04. Marking of cigarette packaging.**

- 28       1. Cigarettes that are certified by a manufacturer in accordance with section 18-13-03  
29       must be marked to indicate compliance with the requirements of section 18-13-02.  
30       The marking must be in eight-point type or larger and consist of:

- 1           a. Modification of the product uniform product code to include a visible mark  
2                    printed at or around the area of the uniform product code which may consist  
3                    of alphanumeric or symbolic characters permanently stamped, engraved,  
4                    embossed, or printed in conjunction with the uniform product code;  
5           b. Any visible combination of alphanumeric or symbolic characters permanently  
6                    stamped, engraved, or embossed upon the cigarette package or cellophane  
7                    wrap; or  
8           c. Printed, stamped, engraved, or embossed text that indicates that the  
9                    cigarettes meet the standards of this chapter.
- 10          2. A manufacturer may use only one marking and shall apply this marking uniformly  
11                    for all packages, including packs, cartons, and cases, and brands marked by that  
12                    manufacturer.
- 13          3. The state fire marshal must be notified as to the marking that is selected.
- 14          4. Before the certification of any cigarette, a manufacturer shall present its proposed  
15                    marking to the state fire marshal for approval. Upon receipt of the request, the  
16                    state fire marshal shall approve or disapprove the marking offered, except that the  
17                    state fire marshal shall approve any marking in use and approved for sale in New  
18                    York pursuant to the New York fire safety standards for cigarettes. Proposed  
19                    markings are deemed approved if the state fire marshal fails to act within ten  
20                    business days of receiving a request for approval.
- 21          5. A manufacturer may not modify its approved marking unless the modification has  
22                    been approved by the state fire marshal in accordance with this section.
- 23          6. A manufacturer certifying cigarettes in accordance with section 18-13-03 shall  
24                    provide a copy of the certifications to every wholesale dealer and agent to which  
25                    the manufacturer sells cigarettes, and shall provide sufficient copies of an  
26                    illustration of the package marking utilized by the manufacturer under this section  
27                    for each retail dealer to which the wholesale dealer or agent sells cigarettes. A  
28                    wholesale dealer and agent shall provide a copy of these package markings  
29                    received from the manufacturer to all retail dealers to which they sell cigarettes.  
30                    Wholesale dealers, agents, and retail dealers shall permit the state fire marshal,

1                   the tax commissioner, the attorney general, and their employees to inspect  
2                   markings of cigarette packaging marked under this section.

3                   **18-13-05. Local regulation.** Notwithstanding any other provision of law, home rule  
4 charter, or ordinance made under a home rule charter, a political subdivision may not enact or  
5 enforce any ordinance or regulation conflicting with any provision of this chapter or with any  
6 policy of this state expressed by this chapter.

7                   **SECTION 2. EFFECTIVE DATE - EXPIRATION DATE.** This Act becomes effective  
8 August 1, 2010, however, this Act becomes ineffective on the date the state fire marshal  
9 certifies to the legislative council that a federal reduced cigarette ignition propensity standard  
10 has been adopted and has become effective.