

**Sixty-fifth Legislative Assembly of North Dakota  
In Regular Session Commencing Tuesday, January 3, 2017**

SENATE BILL NO. 2096  
(Judiciary Committee)  
(At the request of the State Board of Pharmacy)

AN ACT to amend and reenact sections 19-03.1-05, 19-03.1-07, 19-03.1-11, and 19-03.1-13 of the North Dakota Century Code, relating to the scheduling of controlled substances; and to declare an emergency.

**BE IT ENACTED BY THE LEGISLATIVE ASSEMBLY OF NORTH DAKOTA:**

**SECTION 1. AMENDMENT.** Section 19-03.1-05 of the North Dakota Century Code is amended and reenacted as follows:

**19-03.1-05. Schedule I.**

1. The controlled substances listed in this section are included in schedule I.
2. Schedule I consists of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
3. Opiates. Unless specifically excepted or unless listed in another schedule, any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, whenever the existence of those isomers, esters, ethers, and salts is possible within the specific chemical designation:
  - a. ~~Acetyl-alpha-methylfentanyl (also known as N-[1-(1-methyl-2-phenethyl)-4-piperidiny]-N-phenylacetamide).~~
  - b. ~~Acetylfentanyl (also known as N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide).~~
  - e. Acetylmethadol.
  - ~~d.b.~~ Allylprodine.
  - ~~e.c.~~ Alphacetylmethadol.
  - ~~f.d.~~ Alphameprodine.
  - ~~g.e.~~ Alphamethadol.
  - h. ~~Alpha-methylfentanyl (also known as N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]-propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine).~~
  - i. ~~Alpha-methylthiofentanyl (also known as N-[1-methyl-2-(2-thienyl)ethyl-4-piperidiny]-N-phenylpropanamide).~~
  - ~~j.f.~~ Benzethidine.
  - ~~k.g.~~ Betacetylmethadol.
  - l. ~~Beta-hydroxyfentanyl (also known as N-[1-(2-hydroxy-2-phenethyl)-4-piperidiny]-N-phenylpropanamide).~~
  - m. ~~Beta-hydroxy-3-methylfentanyl (also known as N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidiny]-N-phenylpropanamide).~~

- n-h. Betameprodine.
- o-i. Betamethadol.
- p-j. Betaprodine.
- q-k. Clonitazene.
- r-l. Dextromoramide.
- s-m. Diampromide.
- t-n. Diethylthiambutene.
- u-o. Difenoquin.
- v-p. Dimenoxadol.
- w-q. Dimepheptanol.
- x-r. Dimethylthiambutene.
- y-s. Dioxaphetyl butyrate.
- z-t. Dipipanone.
- aa-u. Ethylmethylthiambutene.
- bb-v. Etonitazene.
- cc-w. Etoxadoline.
- dd-x. Furethidine.
- ee-y. Hydroxypethidine.
- ff-z. Ketobemidone.
- gg-aa. Levomoramide.
- hh-bb. Levophenacetylmorphan.
- ii. ~~3-Methylfentanyl (also known as N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide).~~
- jj. ~~3-Methylthiofentanyl (also known as N-[3-methyl-1-(2-thienyl)ethyl-4-piperidyl]-N-phenylpropanamide).~~
- kk-cc. Morpheridine.
- ll-dd. MPPP (also known as 1-methyl-4-phenyl-4-propionoxypiperidine).
- mm-ee. Noracymethadol.
- nn-ff. Norlevorphanol.
- oo-gg. Normethadone.
- pp-hh. Norpipanone.

- ee. ~~Para-fluorofentanyl (also known as N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidinyl]-propanamide).~~
- ff.ii. PEPAP (1-(2-Phenylethyl)-4-Phenyl-4-acetoxypiperidine).
- ss.jj. Phenadoxone.
- tt.kk. Phenampromide.
- uu.ll. Phenomorphan.
- vv.mm. Phenoperidine.
- ww.nn. Piritramide.
- xx.oo. Proheptazine.
- yy.pp. Properidine.
- zz.qq. Propiram.
- aaa.rr. Racemoramide.
- bbb. ~~Thiofentanyl (also known as N-phenyl-N-[1-(2-thienyl)ethyl]-4-piperidinyl]-propanamide).~~
- ccc.ss. Tilidine.
- ddd.tt. Trimeperidine.
- uu. 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (also known as U-47700).
- vv. 1-cyclohexyl-4-(1,2-diphenylethyl)piperazine (also known as MT-45).
- ww. 3,4-dichloro-N-[[1-(dimethylamino)cyclohexyl]methyl]benzamide (also known as AH-7921).
- xx. Fentanyl derivatives. Unless specifically excepted or unless listed in another schedule or are not FDA approved drugs, and are derived from N-(1-(2-Phenylethyl)-4-piperidinyl)-N-phenylpropanamide (Fentanyl) by any substitution on or replacement of the phenethyl group, any substitution on the piperidine ring, any substitution on or replacement of the propanamide group, any substitution on the anilido phenyl group, or any combination of the above. Examples include:
- (1) N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide (also known as Acetyl-alpha-methylfentanyl).
  - (2) N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido)piperidine (also known as Alpha-methylfentanyl).
  - (3) N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide (also known as Alpha-methylthiofentanyl).
  - (4) N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide (also known as Beta-hydroxyfentanyl).
  - (5) N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide (also known as Beta-hydroxy-3-methylfentanyl).

- (6) N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]-N-phenylpropanamide (also known as 3-Methylfentanyl).
  - (7) N-[3-methyl-1-(2-thienyl)ethyl-4-piperidiny]-N-phenylpropanamide (also known as 3-Methylthiofentanyl).
  - (8) N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-piperidiny]propanamide (also known as Para-fluorofentanyl).
  - (9) N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidiny]propanamide (also known as Thiofentanyl).
  - (10) N-(1-phenylethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide (also known as Furanyl Fentanyl).
  - (11) N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide; N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide (also known as Butyryl Fentanyl).
  - (12) N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropionamide; N-[1-[2-hydroxy-2-(2-thienyl)ethyl]-4-piperidiny]-N-phenylpropanamide (also known as Beta-Hydroxythiofentanyl).
  - (13) N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide (also known as Acetyl Fentanyl).
  - (14) N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide (also known as Acrylfentanyl).
  - (15) N-phenyl-N-[1-(2-phenylethyl)-4-piperidiny]-pentanamide (also known as Valeryl Fentanyl).
4. Opium derivatives. Unless specifically excepted or unless listed in another schedule, any of the following opium derivatives, its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. Acetorphine.
  - b. Acetyldihydrocodeine.
  - c. Benzylmorphine.
  - d. Codeine methylbromide.
  - e. Codeine-N-Oxide.
  - f. Cyprenorphine.
  - g. Desomorphine.
  - h. Dihydromorphine.
  - i. Drotebanol.
  - j. Etorphine (except hydrochloride salt).
  - k. Heroin.
  - l. Hydromorphenol.
  - m. Methyldesorphine.

- n. Methyldihydromorphine.
  - o. Morphine methylbromide.
  - p. Morphine methylsulfonate.
  - q. Morphine-N-Oxide.
  - r. Myrophine.
  - s. Nicocodeine.
  - t. Nicomorphine.
  - u. Normorphine.
  - v. Pholcodine.
  - w. Thebacon.
5. Hallucinogenic substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any quantity of the following hallucinogenic substances, including their salts, isomers, and salts of isomers whenever the existence of those salts, isomers, and salts of isomers is possible within the specific chemical designation (for purposes of this subsection only, the term "isomer" includes the optical, position, and geometric isomers):
- a. Alpha-ethyltryptamine, its optical isomers, salts, and salts of isomers (also known as etryptamine;  $\alpha$ -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole).
  - b. Alpha-methyltryptamine.
  - c. 4-methoxyamphetamine (also known as 4-methoxy- $\alpha$ -methylphenethylamine; paramethoxyamphetamine; PMA).
  - d. N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hydroxy- $\alpha$ -methyl-3,4(methylenedioxy)phenylamine, and N-hydroxy MDA).
  - e. Hashish.
  - f. Ibogaine (also known as 7-Ethyl-6, 6B, 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-6, 9-methano-5 H-pyrido [1', 2':1,2] azepino (5,4-b) indole; Tabernanthe iboga).
  - g. Lysergic acid diethylamide.
  - h. Marijuana.
  - i. Parahexyl (also known as 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro- 6,6,9-trimethyl-6H-dibenzol[b,d]pyran; Synhexyl).
  - j. Peyote (all parts of the plant presently classified botanically as *Lophophora williamsii* Lemaire, whether growing or not, the seeds thereof, any extract from any part of such plant, and every compound, manufacture, salts, derivative, mixture, or preparation of such plant, its seeds, or its extracts).
  - k. N-ethyl-3-piperidyl benzilate.
  - l. N-methyl-3-piperidyl benzilate.
  - m. Psilocybin.

n. Tetrahydrocannabinols, meaning tetrahydrocannabinols naturally contained in a plant of the genus Cannabis (cannabis plant), as well as synthetic equivalents of the substances contained in the cannabis plant, or in the resinous extractives of such plant, including synthetic substances, derivatives, and their isomers with similar chemical structure and pharmacological activity to those substances contained in the plant, such as the following:

- (1) Delta-1 cis or trans tetrahydrocannabinol, and their optical isomers. Other names: Delta-9-tetrahydrocannabinol.
- (2) Delta-6 cis or trans tetrahydrocannabinol, and their optical isomers.
- (3) Delta-3,4 cis or trans tetrahydrocannabinol, and its optical isomers.

(Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions covered.)

o. Cannabinoids, synthetic. It includes the chemicals and chemical groups listed below, including their homologues, salts, isomers, and salts of isomers. The term "isomer" includes the optical, position, and geometric isomers.

(1) Indole carboxaldehydes. Any compound structurally derived from 1H-indole-3-carboxaldehyde or 1H-2-carboxaldehyde substituted in both of the following ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and, at the hydrogen of the carboxaldehyde by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether or not the compound is further modified to any extent in the following ways:

- (a) Substitution to the indole ring to any extent; or
- (b) Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent; or
- (c) A nitrogen heterocyclic analog of the indole ring; or
- (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring.

(e) Examples include:

- [1] 1-Pentyl-3-(1-naphthoyl)indole - Other names: JWH-018 and AM-678.
- [2] 1-Butyl-3-(1-naphthoyl)indole - Other names: JWH-073.
- [3] 1-Pentyl-3-(4-methoxy-1-naphthoyl)indole - Other names: JWH-081.
- [4] 1-[2-(4-morpholinyl)ethyl]-3-(1-naphthoyl)indole - Other names: JWH-200.
- [5] 1-Propyl-2-methyl-3-(1-naphthoyl)indole - Other names: JWH-015.
- [6] 1-Hexyl-3-(1-naphthoyl)indole - Other names: JWH-019.
- [7] 1-Pentyl-3-(4-methyl-1-naphthoyl)indole - Other names: JWH-122.
- [8] 1-Pentyl-3-(4-ethyl-1-naphthoyl)indole - Other names: JWH-210.

- [9] 1-Pentyl-3-(4-chloro-1-naphthoyl)indole - Other names: JWH-398.
- [10] 1-(5-fluoropentyl)-3-(1-naphthoyl)indole - Other names: AM-2201.
- [11] 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole - Other names: RCS-8.
- [12] 1-Pentyl-3-(2-methoxyphenylacetyl)indole - Other names: JWH-250.
- [13] 1-Pentyl-3-(2-methylphenylacetyl)indole - Other names: JWH-251.
- [14] 1-Pentyl-3-(2-chlorophenylacetyl)indole - Other names: JWH-203.
- [15] 1-Pentyl-3-(4-methoxybenzoyl)indole - Other names: RCS-4.
- [16] (1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole) - Other names: AM-694.
- [17] (4-Methoxyphenyl)-[2-methyl-1-(2-(4-morpholinyl)ethyl)indol-3-yl]methanone - Other names: WIN 48,098 and Pravadoline.
- [18] (1-Pentylindol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone -- Other names: UR-144.
- [19] (1-(5-fluoropentyl)indol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone - Other names: XLR-11.
- [20] (1-(2-morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone - Other names: A-796,260.
- [21] (1-(5-fluoropentyl)-1H-indazol-3-yl)(naphthalen-1-yl)methanone -- Other names: THJ-2201.
- [22] 1-naphthalenyl(1-pentyl-1H-indazol-3-yl)-methanone -- Other names: THJ-018.
- [23] (1-(5-fluoropentyl)-1H-benzo[d]imidazol-2-yl)(naphthalen-1-yl)methanone - Other names: FUBIMINA.
- [24] 1-[(N-methylpiperidin-2-yl)methyl]-3-(adamant-1-oyl) indole - Other names: AM-1248.
- [25] 1-Pentyl-3-(1-adamantoyl)indole - Other names: AB-001 and JWH-018 adamantyl analog.
- (2) Indole carboxamides. Any compound structurally derived from 1H-indole-3-carboxamide or 1H-2-carboxamide substituted in both of the following ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranlylmethyl, benzyl, or halo benzyl group; and, at the nitrogen of the carboxamide by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether or not the compound is further modified to any extent in the following ways:
- Substitution to the indole ring to any extent; or
  - Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group to any extent; or
  - A nitrogen heterocyclic analog of the indole ring; or

(d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring.

(e) Examples include:

- [1] N-Adamantyl-1-pentyl-1H-indole-3-carboxamide - Other names: JWH-018 adamantyl carboxamide, APICA, SDB-001, and 2NE1.
- [2] N-Adamantyl-1-fluoropentylindole-3-carboxamide - Other names: STS-135.
- [3] N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide - Other names: AKB48 and APINACA.
- [4] N-1-naphthalenyl-1-pentyl-1H-indole-3-carboxamide - Other names: NNEI and MN-24.
- [5] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indole-3-carboxamide - Other names: ADBICA.
- [6] (S)-N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide - Other names: AB-PINACA.
- [7] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-[(4-fluorophenyl)methyl]-1H-indazole-3-carboxamide - Other names: AB-FUBINACA.
- [8] (S)-N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide - Other names: 5-Fluoro AB-PINACA.
- [9] N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide - Other names: ADB-PINACA.
- [10] N-[(1S)-1-(aminocarbonyl)-2-methylpropyl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide - Other names: AB-CHMINACA.
- [11] N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide - Other names: ADB-FUBINACA.
- [12] N-((3s,5s,7s)-adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide - Other names: FUB-AKB48 and AKB48 N-(4-fluorobenzyl) analog.
- [13] 1-(5-fluoropentyl)-N-(quinolin-8-yl)-1H-indazole-3-carboxamide - Other names: 5-fluoro-THJ.
- [14] (S)-methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate - Other names: 5-fluoro AMB.
- [15] methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-valinate - Other names: FUB-AMB.
- [16] N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide - Other names: MAB-CHMINACA and ADB-CHMINACA.
- [17] Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate - Other names: 5F-ADB and 5F-MDMB-PINACA.
- [18] N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide - Other names: 5F-APINACA and 5F-AKB48.



[19] Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate - Other names: MDMA-CHMICA and MMB-CHMINACA.

[20] Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate - Other names: MDMA-FUBINACA.

(3) Indole carboxylic acids. Any compound structurally derived from 1H-indole-3-carboxylic acid or 1H-2-carboxylic acid substituted in both of the following ways: at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group; and, at the hydroxyl group of the carboxylic acid by a phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, or propionaldehyde group whether or not the compound is further modified to any extent in the following ways:

- (a) Substitution to the indole ring to any extent; or
- (b) Substitution to the phenyl, benzyl, naphthyl, adamantyl, cyclopropyl, propionaldehyde group to any extent; or
- (c) A nitrogen heterocyclic analog of the indole ring; or
- (d) A nitrogen heterocyclic analog of the phenyl, benzyl, naphthyl, adamantyl, or cyclopropyl ring.

(e) Examples include:

[1] 1-(cyclohexylmethyl)-1H-indole-3-carboxylic acid 8-quinolinyl ester - Other names: BB-22 and QUCHIC.

[2] naphthalen-1-yl 1-(4-fluorobenzyl)-1H-indole-3-carboxylate - Other names: FDU-PB-22.

[3] 1-pentyl-1H-indole-3-carboxylic acid 8-quinolinyl ester - Other names: PB-22 and QUPIC.

[4] 1-(5-Fluoropentyl)-1H-indole-3-carboxylic acid 8-quinolinyl ester - Other names: 5-Fluoro PB-22 and 5F-PB-22.

[5] quinolin-8-yl-1-(4-fluorobenzyl)-1H-indole-3-carboxylate - Other names: FUB-PB-22.

[6] naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate - Other names: NM2201.

(4) Naphthylmethylindoles. Any compound containing a 1H-indol-3-yl-(1-naphthyl)methane structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to any extent. Examples include:

(a) 1-Pentyl-1H-indol-3-yl-(1-naphthyl)methane - Other names: JWH-175.

(b) 1-Pentyl-1H-indol-3-yl-(4-methyl-1-naphthyl)methane - Other names: JWH-184.

- (5) Naphthoylpyrroles. Any compound containing a 3-(1-naphthoyl)pyrrole structure with substitution at the nitrogen atom of the pyrrole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent. Examples include: (5-(2-fluorophenyl)-1-pentylpyrrol-3-yl)-naphthalen-1-ylmethanone - Other names: JWH-307.
- (6) Naphthylmethylindenes. Any compound containing a naphthylideneindene structure with substitution at the 3-position of the indene ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not further substituted in the indene ring to any extent, whether or not substituted in the naphthyl ring to any extent. Examples include: E-1-[1-(1-Naphthalenylmethylene)-1H-inden-3-yl]pentane - Other names: JWH-176.
- (7) Cyclohexylphenols. Any compound containing a 2-(3-hydroxycyclohexyl)phenol structure with substitution at the 5-position of the phenolic ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or (tetrahydropyran-4-yl)methyl group whether or not substituted in the cyclohexyl ring to any extent. Examples include:
- 5-(1,1-dimethylheptyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other names: CP 47,497.
  - 5-(1,1-dimethyloctyl)-2-[(1R,3S)-3-hydroxycyclohexyl]-phenol - Other names: Cannabicyclohexanol and CP 47,497 C8 homologue.
  - 5-(1,1-dimethylheptyl)-2-[(1R,2R)-5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-phenol - Other names: CP 55,940.
- (8) Others specifically named:
- (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names: HU-210.
  - (6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol - Other names: Dexanabinol and HU-211.
  - 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]-1-naphthalenylmethanone - Other names: WIN 55,212-2.
  - Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone - Other names: CB-13.
- p. Substituted phenethylamines. This includes any compound, unless specifically excepted, specifically named in this schedule, or listed under a different schedule, structurally derived from phenylethan-2-amine by substitution on the phenyl ring in any of the following ways, that is to say, by substitution with a fused methylenedioxy ring, fused furan ring, or fused tetrahydrofuran ring; by substitution with two alkoxy groups; by substitution with one alkoxy and either one fused furan, tetrahydrofuran, or tetrahydropyran ring system; or by substitution with two fused ring systems from any combination of the furan, tetrahydrofuran, or tetrahydropyran ring systems.

- (1) Whether or not the compound is further modified in any of the following ways, that is to say:
  - (a) By substitution of phenyl ring by any halo, hydroxyl, alkyl, trifluoromethyl, alkoxy, or alkylthio groups;
  - (b) By substitution at the 2-position by any alkyl groups; or
  - (c) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, hydroxybenzyl, methylenedioxybenzyl, or methoxybenzyl groups.
- (2) Examples include:
  - (a) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (also known as 2C-C or 2,5-Dimethoxy-4-chlorophenethylamine).
  - (b) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (also known as 2C-D or 2,5-Dimethoxy-4-methylphenethylamine).
  - (c) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (also known as 2C-E or 2,5-Dimethoxy-4-ethylphenethylamine).
  - (d) 2-(2,5-Dimethoxyphenyl)ethanamine (also known as 2C-H or 2,5-Dimethoxyphenethylamine).
  - (e) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-I or 2,5-Dimethoxy-4-iodophenethylamine).
  - (f) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (also known as 2C-N or 2,5-Dimethoxy-4-nitrophenethylamine).
  - (g) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (also known as 2C-P or 2,5-Dimethoxy-4-propylphenethylamine).
  - (h) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (also known as 2C-T-2 or 2,5-Dimethoxy-4-ethylthiophenethylamine).
  - (i) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (also known as 2C-T-4 or 2,5-Dimethoxy-4-isopropylthiophenethylamine).
  - (j) 2-(4-bromo-2,5-dimethoxyphenyl)ethanamine (also known as 2C-B or 2,5-Dimethoxy-4-bromophenethylamine).
  - (k) 2-(2,5-dimethoxy-4-(methylthio)phenyl)ethanamine (also known as 2C-T or 4-methylthio-2,5-dimethoxyphenethylamine).
  - (l) 1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine (also known as DOI or 2,5-Dimethoxy-4-iodoamphetamine).
  - (m) 1-(4-Bromo-2,5-dimethoxyphenyl)-2-aminopropane (also known as DOB or 2,5-Dimethoxy-4-bromoamphetamine).
  - (n) 1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (also known as DOC or 2,5-Dimethoxy-4-chloroamphetamine).
  - (o) 2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (also known as 2C-B-NBOMe; 2,5B-NBOMe or 2,5-Dimethoxy-4-bromo-N-(2-methoxybenzyl)phenethylamine).

- (p) 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (also known as 2C-I-NBOMe; 2,5I-NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-methoxybenzyl)phenethylamine).
- (q) N-(2-Methoxybenzyl)-2-(3,4,5-trimethoxyphenyl)ethanamine (also known as mescaline-NBOMe or 3,4,5-trimethoxy-N-(2-methoxybenzyl)phenethylamine).
- (r) 2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (also known as 2C-C-NBOMe; 2,5C-NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-methoxybenzyl)phenethylamine).
- (s) 2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine (also known as 2CB-5-hemiFLY).
- (t) 2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-yl)ethanamine (also known as 2C-B-FLY).
- (u) 2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-yl)ethanamine (also known as 2C-B-butterFLY).
- (v) N-(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7-tetrahydrobenzo[1,2-b:4,5-b']difuran-4-yl)-2-aminoethane (also known as 2C-B-FLY-NBOMe).
- (w) 1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (also known as bromo-benzodifuranyl-isopropylamine or bromo-dragonFLY).
- (x) N-(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine (also known as 2C-I-NBOH or 2,5I-NBOH).
- (y) 5-(2-Aminopropyl)benzofuran (also known as 5-APB).
- (z) 6-(2-Aminopropyl)benzofuran (also known as 6-APB).
- (aa) 5-(2-Aminopropyl)-2,3-dihydrobenzofuran (also known as 5-APDB).
- (bb) 6-(2-Aminopropyl)-2,3,-dihydrobenzofuran (also known as 6-APDB).
- (cc) 2,5-dimethoxy-amphetamine (also known as 2,5-dimethoxy-alpha-methylphenethylamine; 2,5-DMA).
- (dd) 2,5-dimethoxy-4-ethylamphetamine (also known as DOET).
- (ee) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (also known as 2C-T-7).
- (ff) 5-methoxy-3,4-methylenedioxy-amphetamine.
- (gg) 4-methyl-2,5-dimethoxy-amphetamine (also known as 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; DOM and STP).
- (hh) 3,4-methylenedioxy amphetamine (also known as MDA).
- (ii) 3,4-methylenedioxymethamphetamine (also known as MDMA).
- (jj) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-ethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, MDE, MDEA).
- (kk) 3,4,5-trimethoxy amphetamine.
- (ll) Mescaline (also known as 3,4,5-trimethoxyphenethylamine).

- q. Substituted tryptamines. This includes any compound, unless specifically excepted, specifically named in this schedule, or listed under a different schedule, structurally derived from 2-(1H-indol-3-yl)ethanamine (i.e., tryptamine) by mono- or di-substitution of the amine nitrogen with alkyl or alkenyl groups or by inclusion of the amino nitrogen atom in a cyclic structure whether or not the compound is further substituted at the alpha-position with an alkyl group or whether or not further substituted on the indole ring to any extent with any alkyl, alkoxy, halo, hydroxyl, or acetoxy groups. Examples include:
- (1) 5-methoxy-N,N-diallyltryptamine (also known as 5-MeO-DALT).
  - (2) 4-acetoxy-N,N-dimethyltryptamine (also known as 4-AcO-DMT or O-Acetylpsilocin).
  - (3) 4-hydroxy-N-methyl-N-ethyltryptamine (also known as 4-HO-MET).
  - (4) 4-hydroxy-N,N-diisopropyltryptamine (also known as 4-HO-DIPT).
  - (5) 5-methoxy-N-methyl-N-isopropyltryptamine (also known as 5-MeO-MIPT).
  - (6) 5-methoxy-N,N-dimethyltryptamine (also known as 5-MeO-DMT).
  - (7) Bufotenine (also known as 3-(Beta-Dimethyl-aminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N, N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine).
  - (8) 5-methoxy-N,N-diisopropyltryptamine (also known as 5-MeO-DiPT).
  - (9) Diethyltryptamine (also known as N,N-Diethyltryptamine; DET).
  - (10) Dimethyltryptamine (also known as DMT).
  - (11) Psilocyn.
- r. 1-[3-(trifluoromethylphenyl)]piperazine (also known as TFMPP).
- s. 1-[4-(trifluoromethylphenyl)]piperazine.
- t. 6,7-dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine (also known as 5,6-Methylenedioxy-2-aminoindane or MDAI).
- u. 2-(Ethylamino)-2-(3-methoxyphenyl)cyclohexanone (also known as Methoxetamine or MXE).
- v. Ethylamine analog of phencyclidine (also known as N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl) ethylamine, N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE).
- w. Pyrrolidine analog of phencyclidine (also known as 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP).
- x. Thiophene analog of phencyclidine (also known as (1-[1-(2-thienyl) cyclohexyl] piperidine; 2-Thienylanalog of phencyclidine; TPCP, TCP).
- y. 1-[1-(2-thienyl)cyclohexyl]pyrrolidine (also known as TCPy).
- z. Salvia divinorum, salvinorin A, or any of the active ingredients of salvia divinorum.
6. Depressants. Unless specifically excepted or unless listed in another schedule, any material compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

- a. Flunitrazepam.
  - b. Gamma-hydroxybutyric acid.
  - c. Mecloqualone.
  - d. Methaqualone.
7. Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:
- a. Aminorex (also known as 2-amino-5-phenyl-2-oxazoline, or 4,5-dihydro-5-phenyl-2-oxazolamine).
  - b. Cathinone.
  - c. Substituted cathinones. Any compound, material, mixture, preparation, or other product, unless listed in another schedule or an approved food and drug administration drug (e.g., bupropion, pyrovalerone), structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl, or thiophene ring systems, whether or not the compound is further modified in any of the following ways:
    - (1) By substitution in the ring system to any extent with alkyl, alkylendioxy, alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further substituted in the ring system by one or more other univalent substituents;
    - (2) By substitution at the 3-position with an acyclic alkyl substituent;
    - (3) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups; or
    - (4) By inclusion of the 2-amino nitrogen atom in a cyclic structure.
- Some trade or other names:
- (a) 3,4-Methylenedioxy-alpha-pyrrolidinopropiophenone (also known as MDPPP).
  - (b) 3,4-Methylenedioxy-N-ethylcathinone (also known as Ethylone, MDEC, or bk-MDEA).
  - (c) 3,4-Methylenedioxy-N-methylcathinone (also known as Methylone or bk-MDMA).
  - (d) 3,4-Methylenedioxypyrovalerone (also known as MDPV).
  - (e) 3,4-Dimethylmethcathinone (also known as 3,4-DMMC).
  - (f) 2-(methylamino)-1-phenylpentan-1-one (also known as Pentedrone).
  - (g) 2-Fluoromethcathinone (also known as 2-FMC).
  - (h) 3-Fluoromethcathinone (also known as 3-FMC).
  - (i) 4-Methylethcathinone (also known as 4-MEC and 4-methyl-N-ethylcathinone).
  - (j) 4-Fluoromethcathinone (also known as Flephedrone and 4-FMC).
  - (k) 4-Methoxy-alpha-pyrrolidinopropiophenone (also known as MOPPP).

- (l) 4-Methoxymethcathinone (also known as Methedrone; bk-PMMA).
  - (m) 4'-Methyl-alpha-pyrrolidinobutiophenone (also known as MPBP).
  - (n) Alpha-methylamino-butyrophenone (also known as Buphedrone or MABP).
  - (o) Alpha-pyrrolidinobutiophenone (also known as alpha-PBP).
  - (p) Alpha-pyrrolidinopropiophenone (also known as alpha-PPP).
  - (q) Alpha-pyrrolidinopentiophenone (also known as Alpha-pyrrolidinovalerophenone or alpha-PVP).
  - (r) Beta-keto-N-methylbenzodioxolylbutanamine (also known as Butylone or bk-MBDB).
  - (s) Ethcathinone (also known as N-Ethylcathinone).
  - (t) 4-Methylmethcathinone (also known as Mephedrone or 4-MMC).
  - (u) Methcathinone.
  - (v) N,N-dimethylcathinone (also known as metamfepramone).
  - (w) Naphthylpyrovalerone (naphyrone).
  - (x) B-Keto-Methylbenzodioxolylpentanamine (also known as Pentylone).
  - (y) 4-Methyl-alpha-pyrrolidinopropiophenone (also known as 4-MePPP and MPPP).
- d. Fenethylline.
  - e. Fluoroamphetamine.
  - f. Fluoromethamphetamine.
  - g. ( $\pm$ )cis-4-methylaminorex (also known as ( $\pm$ )cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine).
  - h. N-Benzylpiperazine (also known as BZP, 1-benzylpiperazine).
  - i. N-ethylamphetamine.
  - j. N, N-dimethylamphetamine (also known as N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine).

**SECTION 2. AMENDMENT.** Section 19-03.1-07 of the North Dakota Century Code is amended and reenacted as follows:

**19-03.1-07. Schedule II.**

1. The controlled substances listed in this section are included in schedule II.
2. Schedule II consists of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
3. Substances, vegetable origin or chemical synthesis. Unless specifically excepted or unless listed in another schedule, any of the following substances whether produced directly or indirectly by extraction from substances of vegetable origin, or independently by means of chemical synthesis, or by a combination of extraction and chemical synthesis:

- a. Opium and opiate, and any salt, compound, derivative, or preparation of opium or opiate, excluding apomorphine, dextrophan, nalbuphine, nalmefene, naloxone, and naltrexone and their respective salts, but including the following:
    - (1) Codeine.
    - (2) Dihydroetorphine.
    - (3) Ethylmorphine.
    - (4) Etorphine hydrochloride.
    - (5) Granulated opium.
    - (6) Hydrocodone.
    - (7) Hydromorphone.
    - (8) Metopon.
    - (9) Morphine.
    - (10) Opium extracts.
    - (11) Opium fluid.
    - (12) Oripavine.
    - (13) Oxycodone.
    - (14) Oxymorphone.
    - (15) Powder opium.
    - (16) Raw opium.
    - (17) Thebaine.
    - (18) Tincture of opium.
  - b. Any salt, compound, derivative, or preparation thereof which is chemically equivalent or identical with any of the substances referred to in subdivision a, but not including the isoquinoline alkaloids of opium.
  - c. Opium poppy and poppy straw.
  - d. Coca leaves and any salt, compound, derivative, or preparation of coca leaves, including cocaine and ecgonine and their salts, isomers, derivatives, and salts of isomers and derivatives, and any salt, compound, derivative, or preparation thereof that is chemically equivalent or identical with any of these substances, except that the nondosage substances must include decocainized coca leaves or extractions of coca leaves which do not contain cocaine or ecgonine.
  - e. Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid, or powder form which contains the phenanthrine alkaloids of the opium poppy).
4. Opiates. Unless specifically excepted or unless in another schedule, any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers whenever the existence of those isomers, esters, ethers, and salts is possible within the specific chemical designation, dextrophan and levopropoxyphene excepted:



- a. Alfentanil.
  - b. Alphaprodine.
  - c. Anileridine.
  - d. Bezitramide.
  - e. Bulk dextropropoxyphene (nondosage forms).
  - f. Carfentanil.
  - g. Dihydrocodeine.
  - h. Diphenoxylate.
  - i. Fentanyl.
  - j. Isomethadone.
  - k. Levo-alphaacetylmethadol (LAAM).
  - l. Levomethorphan.
  - m. Levorphanol.
  - n. Metazocine.
  - o. Methadone.
  - p. Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane.
  - q. Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic acid.
  - r. Pethidine (also known as meperidine).
  - s. Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine.
  - t. Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate.
  - u. Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid.
  - v. Phenazocine.
  - w. Priminodine.
  - x. Racemethorphan.
  - y. Racemorphan.
  - z. Remifentanil.
  - aa. Sufentanil.
  - bb. Tapentadol.
  - cc. Thiafentanil.
5. Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system:

- a. Amphetamine, its salts, optical isomers, and salts of its optical isomers.
  - b. Lisdexamfetamine, its salts, isomers, and salts of isomers.
  - c. Methamphetamine, its salts, isomers, and salts of isomers.
  - d. Phenmetrazine and its salts.
  - e. Methylphenidate.
6. Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. Amobarbital.
  - b. Glutethimide.
  - c. Pentobarbital.
  - d. Phencyclidine.
  - e. Secobarbital.
7. Hallucinogenic substances. Nabilone [another name for nabilone ( $\pm$ )-trans-3-(1,1-dimethylheptyl)-6, 6a, 7, 8, 10, 10a-hexahydro-1-hydroxy-6, 6-dimethyl-9Hdibenzo [b, d]pyran-9-one].
8. Immediate precursors. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following substances:
- a. Immediate precursor to amphetamine and methamphetamine: Phenylacetone. Some trade or other names: phenyl-2-propanone; P2P, benzyl methyl ketone; methyl benzyl ketone.
  - b. Immediate precursors to phencyclidine (PCP):
    - (1) 1-phenylcyclohexylamine.
    - (2) 1-piperidinocyclohexanecarbonitrile (PCC).
  - c. Immediate precursors to fentanyl: 4-anilino-N-phenethyl-4-piperidine (ANPP).

**SECTION 3. AMENDMENT.** Section 19-03.1-11 of the North Dakota Century Code is amended and reenacted as follows:

**19-03.1-11. Schedule IV.**

1. The controlled substances listed in this section are included in schedule IV.
2. Schedule IV consists of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
3. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:

- a. Not more than 1 milligram of difenoxin and not less than 25 micrograms of atropine sulfate per dosage unit.
  - b. Dextropropoxyphene (also known as alpha-(+)-4-dimethylamino- 1,2-diphenyl-3-methyl-2-propionoxybutane).
  - c. 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its salts, optical and geometric isomers and salts of these isomers including Tramadol.
4. Depressants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any quantity of the following substances, including their salts, isomers, and salts of isomers whenever the existence of those salts, isomers, and salts of isomers is possible within the specific chemical designation:
- a. Alprazolam.
  - b. Alfaxalone.
  - c. Barbital.
  - d. Bromazepam.
  - e. Camazepam.
  - f. Carisoprodol.
  - g. Chloral betaine.
  - h. Chloral hydrate.
  - i. Chlordiazepoxide.
  - j. Clobazam.
  - k. Clonazepam.
  - l. Clorazepate.
  - m. Clotiazepam.
  - n. Cloxazolam.
  - o. Delorazepam.
  - p. Diazepam.
  - q. Dichloralphenazone.
  - r. Estazolam.
  - s. Ethchlorvynol.
  - t. Ethinamate.
  - u. Ethyl loflazepate.
  - v. Fludiazepam.
  - w. Flunitrazepam.
  - x. Flurazepam.

x-y. Fospropofol.  
y-z. Halazepam.  
z-aa. Haloxazolam.  
aa-bb. Indiplon.  
bb-cc. Ketazolam.  
ee-dd. Loprazolam.  
dd-ee. Lorazepam.  
ee-ff. Lorcaserin.  
ff-gg. Lormetazepam.  
gg-hh. Mebutamate.  
hh-ii. Medazepam.  
ii-jj. Meprobamate.  
jj-kk. Methohexital.  
kk-ll. Methylphenobarbital (also known as mephobarbital).  
ll-mm. Midazolam.  
mm-nn. Nimetazepam.  
nn-oo. Nitrazepam.  
oo-pp. Nordiazepam.  
pp-qq. Oxazepam.  
qq-rr. Oxazolam.  
rr-ss. Paraldehyde.  
ss-tt. Petrichloral.  
tt-uu. Phenobarbital.  
uu-vv. Pinazepam.  
vv-ww. Propofol.  
ww-xx. Prazepam.  
xx-yy. Quazepam.  
yy-zz. Suvorexant.  
zz-aaa. Temazepam.  
aaa-bbb. Tetrazepam.  
bbb-ccc. Triazolam.

~~eee.ddd.~~      Zaleplon.

~~ddd.eee.~~      Zolpidem.

~~eee.fff.~~      Zopiclone.

5. Fenfluramine. Any material, compound, mixture, or preparation which contains any quantity of the following substances, including its salts, isomers (whether optical, position, or geometric), and salts of such isomers, whenever the existence of such salts, isomers, and salts of isomers is possible: Fenfluramine.
6. Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:
  - a. Cathine.
  - b. Diethylpropion.
  - c. Fencamfamin.
  - d. Fenproporex.
  - e. Mazindol.
  - f. Mefenorex.
  - g. Modafinil.
  - h. Pemoline (including organometallic complexes and chelates thereof).
  - i. Phentermine.
  - j. Pipradrol.
  - k. Sibutramine.
    - l. SPA ((-)-1-dimethylamino-1, 2-diphenylethane).
7. Other substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of:
  - a. Pentazocine, including its salts.
  - b. Butorphanol, including its optical isomers.
  - c. Eluxadolone (5-[[[(2S)-2-amino-3-[4-aminocarbonyl]-2,6-dimethylphenyl]-1-oxopropyl] [(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic acid)  
(including its optical isomers) and its salts, isomers, and salts of isomers.
  - d. Epidiolex or its successor name as determined by the United States food and drug administration.
8. The board may except by rule any compound, mixture, or preparation containing any depressant substance listed in subsection 2 from the application of all or any part of this chapter if the compound, mixture, or preparation contains one or more active medicinal ingredients not having a depressant effect on the central nervous system, and if the admixtures are included therein in combinations, quantity, proportion, or concentration that

vitiate the potential for abuse of the substances which have a depressant effect on the central nervous system.

**SECTION 4. AMENDMENT.** Section 19-03.1-13 of the North Dakota Century Code is amended and reenacted as follows:

**19-03.1-13. Schedule V.**

1. The controlled substances listed in this section are included in schedule V.
2. Schedule V consists of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section.
3. Narcotic drugs. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation containing any of the following narcotic drugs and their salts.
4. Narcotic drugs containing non-narcotic active medicinal ingredients. Any compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below, which includes one or more non-narcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal qualities other than those possessed by narcotic drugs alone.
  - a. Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams.
  - b. Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams.
  - c. Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams.
  - d. Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine sulfate per dosage unit.
  - e. Not more than 100 milligrams of opium per 100 milliliters or per 100 grams.
  - f. Not more than 0.5 milligram of difenoxin and not less than 25 micrograms of atropine sulfate per dosage unit.
5. Depressants. Unless specifically exempted or excluded or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible:
  - a. Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl]butanamide) (also referred to as BRV; UCB-34714; Briviact) (including its salts).
  - b. Ezogabine N-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester.
  - ~~b.c.~~ Lacosamide [(R)-2-acetoamido-N-benzyl-3-methoxy-propionamide].
  - ~~e.d.~~ Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid].
6. Stimulants. Unless specifically exempted or excluded or unless listed in another schedule, any material, compound, mixture, or preparation containing any quantity of the following substances having a stimulant effect on the central nervous system, including their salts, isomers, and salts of isomers: Pyrovalerone.

**SECTION 5. EMERGENCY.** This Act is declared to be an emergency measure.

\_\_\_\_\_  
President of the Senate

\_\_\_\_\_  
Speaker of the House

\_\_\_\_\_  
Secretary of the Senate

\_\_\_\_\_  
Chief Clerk of the House

This certifies that the within bill originated in the Senate of the Sixty-fifth Legislative Assembly of North Dakota and is known on the records of that body as Senate Bill No. 2096 and that two-thirds of the members-elect of the Senate voted in favor of said law.

Vote:        Yeas 46                      Nays 0                      Absent 1

\_\_\_\_\_  
President of the Senate

\_\_\_\_\_  
Secretary of the Senate

This certifies that two-thirds of the members-elect of the House of Representatives voted in favor of said law.

Vote:        Yeas 91                      Nays 3                      Absent 0

\_\_\_\_\_  
Speaker of the House

\_\_\_\_\_  
Chief Clerk of the House

Received by the Governor at \_\_\_\_\_ M. on \_\_\_\_\_, 2017.

Approved at \_\_\_\_\_ M. on \_\_\_\_\_, 2017.

\_\_\_\_\_  
Governor

Filed in this office this \_\_\_\_\_ day of \_\_\_\_\_, 2017,

at \_\_\_\_\_ o'clock \_\_\_\_\_ M.

\_\_\_\_\_  
Secretary of State