

MICROFILM DIVIDER

OMB/RECORDS MANAGEMENT DIVISION
SFN 2053 (2/85) 5M



ROLL NUMBER

DESCRIPTION

1148

The micrographic images on this film are accurate reproductions of records delivered to Modern Information Systems for microfilming and were filmed in the regular course of business. The photographic process meets standards of the American National Standards Institute (ANSI) for archival microfilm. NOTICE: If the filmed image above is less legible than this Notice, it is due to the quality of the document being filmed.

Dorena Ballerich
Operator's Signature

10/2/03
Date

2003 HOUSE NATURAL RESOURCES

HB 1148

The micrographic images on this film are accurate reproductions of records delivered to Modern Information Systems for microfilming and were filmed in the regular course of business. The photographic process meets standards of the American National Standards Institute (ANSI) for archival microfilm. NOTICE: If the filmed image above is less legible than this Notice, it is due to the quality of the document being filmed.

Dorena G. Baller
Operator's Signature

10/2/03
Date

2003 HOUSE STANDING COMMITTEE MINUTES

BILL/RESOLUTION NO. 1148

House Natural Resources Committee

Conference Committee

Hearing Date January 23, 2003

Tape Number	Side A	Side B	Meter #
1		xx	-3,500

Committee Clerk Signature

Minutes:

Rep. Dekrey moved the committee accept the proposed amendment to HB 1148. Seconded by **Rep. Clark**.

Rep. Solberg: Expressed concern over the 25 acre feet requirement for the certified engineer.

These dams are the lifeblood of the stockmans association. I will oppose this.

Rep. Nottestad: This is for the concern to the safty of the structure. The permit size is increasing.

Rep. Klein: Most dams are smaller than that area.

Rep. Solberg: I know of people who are very concerned with this.

Bill Pfifer: Wildlife Society. 900-1,000 dams put in the southwest corner of the state. 60% held water all summer long. Please hold off for a week.

Rep. Nottestad: How many are over 25 acre feet?

Bill Pfifer: None

The photographic images on this film are accurate reproductions of records delivered to Modern Information Systems for microfilming and were filmed in the regular course of business. The photographic process meets standards of the American National Standards Institute (ANSI) for archival microfilm. NOTICE: If the filmed image above is less legible than this Notice, it is due to the quality of the document being filmed.

Dorena Holbrook
Operator's Signature

10/2/03
Date

2003 HOUSE STANDING COMMITTEE MINUTES

BILL/RESOLUTION NO. 1148

House Natural Resources Committee

Conference Committee

Hearing Date February 6, 2003

Tape Number	Side A	Side B	Meter #
2			1430-2251
Committee Clerk Signature <i>Geri Meyer</i>			

Minutes:

Chair Nelson called the meeting to order on HB 1148.

Rep. Nottestad reported on a proposed amendment put together on a subcommittee. (See Attached Testimony and Amendments)

Rep. Keiser moves the amendment seconded by Rep. Solberg.

Passed by voice vote.

Rep. DeKrey moves a Do Pass with Amendments. Rep. Clark seconded.

Rep. Solberg: I have some constituent concerns that have been taken care of with this bill. It removes the certified engineer requirements.

The motion passed by a roll call vote of 12-0-2. Rep. Nottestad will carry.

The micrographic images on this film are accurate reproductions of records delivered to Modern Information Systems for microfilming and were filmed in the regular course of business. The photographic process meets standards of the American National Standards Institute (ANSI) for archival microfilm. NOTICE: If the filmed image above is less legible than this Notice, it is due to the quality of the document being filmed.

Dorinda Ball...
Operator's Signature

10/2/03
Date

38094.0102
Title.

Prepared by the Legislative Council staff for
Representative Nottestad
January 31, 2003

PROPOSED AMENDMENTS TO HOUSE BILL NO. 1148

Page 2, line 6, replace "twenty-five" with "fifty"

Page 2, line 7, replace "30837.04" with "61674.08" and after "water", insert "or twenty-five acre-feet [30837.04 cubic meters] of water for a medium-hazard and high-hazard dam."

Page 2, line 9, remove "completed by a professional engineer"

Page 2, line 10, remove "registered in this state" and after the period insert "Except for low-hazard dams less than ten feet [3.05 meters] in height, the plans and specifications must be completed by a professional engineer registered in this state."

Page 2, line 26, replace "twenty-five" with "fifty"

Page 2, line 27, replace "30837.04" with "61674.08" and after "water" insert "or twenty-five acre-feet [30837.04 cubic meters] of water for a medium-hazard or high-hazard dam"

Page 3, line 6, replace "twenty-five" with "fifty" and replace "30837.04" with "61674.08"

Page 3, line 7, after "water" insert "or twenty-five acre-feet [30837.04 cubic meters] of water for a medium-hazard or high-hazard dam"

Renumber accordingly

Date: 2/6/03
Roll Call Vote #: 1

2003 HOUSE STANDING COMMITTEE ROLL CALL VOTES
BILL/RESOLUTION NO. 1148

House House Natural Resources Committee

Check here for Conference Committee

Legislative Council Amendment Number _____

Action Taken Do Pass with Amendments

Motion Made By DeKrey Seconded By Clark

Representatives	Yes	No	Representatives	Yes	No
Chairman Jon O. Nelson	✓				
Vice-Chairman Todd Porter	✓				
Rep. Byron Clark	✓				
Rep. Duane DeKrey	✓				
Rep. David Drovdal	✓				
Rep. Lyle Hanson	✓				
Rep. Bob Hunskor	✓				
Rep. Dennis Johnson	✓				
Rep. George Keiser	✓				
Rep. Scott Kelsh	✓				
Rep. Frank Klein	✓				
Rep. Mike Norland	✓				
Rep. Darrell Nottestad	✓				
Rep. Dorvan Solberg	✓				

Total (Yes) 12 No 0

Absent 2

Floor Assignment Rep. Nottestad

If the vote is on an amendment, briefly indicate intent:

The micrographic images on this film are accurate reproductions of records delivered to Modern Information Systems for microfilming and were filmed in the regular course of business. The photographic process meets standards of the American National Standards Institute (ANSI) for archival microfilm. NOTICE: If the filmed image above is less legible than this Notice, it is due to the quality of the document being filmed.

Dorvan Solberg
Operator's Signature

10/2/03
Date

REPORT OF STANDING COMMITTEE (410)
February 10, 2003 8:31 a.m.

Module No: HR-25-2068
Carrier: Nottestad
Insert LC: 38094.0103 Title: .0200

REPORT OF STANDING COMMITTEE

HB 1148: Natural Resources Committee (Rep. Nelson, Chairman) recommends AMENDMENTS AS FOLLOWS and when so amended, recommends DO PASS (12 YEAS, 0 NAYS, 2 ABSENT AND NOT VOTING). HB 1148 was placed on the Sixth order on the calendar.

Page 1, line 14, after "easements" insert "to a political subdivision"

Page 1, line 21, after "district" insert "or other political subdivision" and after "board" insert "or the governing body of another political subdivision"

Page 2, line 6, replace "twenty-five" with "fifty"

Page 2, line 7, replace "30837.04" with "61674.08" and after "water", insert "or twenty-five acre-feet (30837.04 cubic meters) of water for a medium-hazard and high-hazard dam."

Page 2, line 9, remove "completed by a professional engineer"

Page 2, line 10, remove "registered in this state" and after the period insert "Except for low-hazard dams less than ten feet (3.05 meters) in height, the plans and specifications must be completed by a professional engineer registered in this state."

Page 2, line 26, replace "twenty-five" with "fifty"

Page 2, line 27, replace "30837.04" with "61674.08" and after "water" insert "or twenty-five acre-feet (30837.04 cubic meters) of water for a medium-hazard or high-hazard dam"

Page 3, line 6, replace "twenty-five" with "fifty" and replace "30837.04" with "61674.08"

Page 3, line 7, after "water" insert "or twenty-five acre-feet (30837.04 cubic meters) of water for a medium-hazard or high-hazard dam"

Renumber accordingly